



JECTIVES			
ICD-10-CM Conventions <ul> <li>Importance of using ICD-10 Conventions</li> </ul>			
Major Convention changes in ICD-10-CM			
ICD-10-CM Guidelines			
<ul> <li>Importance of using ICD-10 Guidelines</li> </ul>			
<ul> <li>Major Guideline changes in ICD-10-CM</li> </ul>			
ICD-10-CM Chapter-Specific Guidelines			
<ul> <li>Major Guideline changes in specific chapters of ICD-10-CM</li> </ul>			
is	2		




1

MAJC	R MODIFICATIONS IN ICD-10 CM CONVENTIONS
	Placeholder Character Seventh Character Abbreviations NEC NOS Punctuation Parentheses, Brackets, Colon Instructional Notes Code First Use Additional Code Relational Terms And - With - Changes from ICD-9



UCF REGIONAL EXTENSION CENTER A Division of the College of Medicine	
SEVENTH CHARACTERS	$\rightarrow$
<ul> <li>Some categories require a seventh character to provide further specificity about the condition being coded.</li> <li>May be a number or a letter</li> <li>Must <u>always</u> be the seventh character.</li> </ul>	de
<ul> <li>Examples:</li> <li>O64.3XX1, Obstructed labor due to brow presentation, fetus</li> <li>S02.110B, Type 1 occipital condyle fracture, initial encounter fracture</li> <li>T17.220D, Food in pharynx causing asphyxiation, subsequent encounter</li> </ul>	for open

Character	7 <sup>th</sup> Character Meaning
A	Initial Encounter/Closed Fracture
В	Initial Encounter/Open Fracture
D	Subsequent Encounter/Fracture Routine Healing
G	Subsequent Encounter/Fracture Delayed Healing
К	Subsequent Encounter/Fracture Nonunion
Р	Subsequent Encounter/Fracture Malunion
S	Sequela
When 7th o	character is applicable, and no 5 <sup>th</sup> /6 <sup>th</sup> character is plicable, placeholder "x" must be assigned





ABBREVIATIONS - NEC	>>>
<ul> <li>Not Elsewhere Classified – NEC</li> <li>Types of specified conditions that have not be anywhere else in the code set</li> <li>Alphabetic Index uses NEC for a code descrip direct the coder to the Tabular List showing an <u>Specified</u> code description</li> </ul>	otion that will
<ul> <li>Example:</li> <li>H26.8 Other specified cataract</li> <li>I25.89 Other forms of chronic ischemic heart disea</li> </ul>	se
1/19/2015	

#### ABBREVIATIONS - NOS



>

ucf-rec.org

 $\gg$ 

ucf-rec.org

ucf-rec.org

Not Otherwise Specified – NOS ٠

- Unspecified
- Available for use when the documentation of the condition ٠ identified by the provider is insufficient to assign a more specific code.
- Example:
  - H40.9 Unspecified glaucoma
  - J12.9 Viral pneumonia, unspecified

VERSITY OF CENTRAL FLORIDA

UCF REGIONAL EXTENSION CENTER

#### PUNCTUATION


- () Parentheses Nonessential Modifiers Supplementary words that may be present or absent in the disease or procedure which do not affect the code  $\ensuremath{\mathsf{assignment}}$
- Examples: Alphabetic Index
  - Diabetes, diabetic (mellitus) (sugar)
  - Hemophilia (classical) (familial) (hereditary)
- Examples: Tabular List
- **I10**, Essential (primary) hypertension
- K51.011, Ulcerative (chronic) pancolitis with rectal bleeding

S UNIVERSITY OF CENTRAL FLORIDA


#### UCF REGIONAL EXTENSION CENTER >PUNCTUATION • [] Brackets Alphabetic Index: Identify Manifestation Codes Tabular List: Synonyms • Examples: Alphabetic Index • Disease, Alzheimer's G30.9 [F02.80] Nephrosis, in amyloidosis E85.4 [N08] Examples: Tabular List B06, Rubella [German measles] ٠ •

J00, Acute nasopharyngitis [common cold]


PUNCTUATION	
one of the modifiers fo	er an incomplete term which needs at least llowing the code to make it assignable les" and "Excludes" Notes
<ul> <li>Example:</li> <li>G73.7 Myopathy in dis</li> </ul>	eases classified elsewhere
s	heumatoid arthritis (M05.32) arcoidosis (D86.87) cleroderma (M34.82)
11/19/2015 S	ystemic lupus erythematosus (M32.19)



ISTRUCTIONAL NOTES	>
Exclusion Notes	
<ul> <li>Excludes1: Pure "excludes" note - means cannot be CODED here.</li> <li>The code excluded should never be used at the same time as the code above the Excludes1 note.</li> <li>Used when two codes cannot occur together.</li> </ul>	
<ul> <li>Example:</li> <li>E11 Type 2 Diabetes Mellitus</li> <li>Excludes1: Gestational Diabetes (O24.4-)</li> <li>Postprocedural Diabetes Mellitus (E13)</li> <li>Type 1 Diabetes Mellitus (E10)</li> </ul>	
Minuensity of central florida	15



ucf-rec.org



	CF REGIONAL EXTENSION CENTER Division of the College of Medicine
II	ISTRUCTIONAL NOTES
•	"Code First" & "Use Additional Code"
•	Used for Sequencing Priority – Found in Tabular

- When a particular disease or condition has many manifestations that go along with it, always code the underlying disease first, followed by the manifestation.
- Example:
  - E66 Overweight and Obesity
    - Code first obesity complicating pregnancy, childbirth and the puerperium, if applicable (O99.21-)
  - Use additional code to identify body mass index (BMI), if known (Z68.-)

#### RELATIONAL TERMS

- "AND" should be interpreted to mean either "and" or "or" • Example:

  - A18.0 Tuberculosis of bones and joints Tuberculosis of bones
  - Tuberculosis of joints
  - Tuberculosis of bones and joints
- "WITH" should be interpreted to mean "associated with" "in" or "due to"

#### NIVERSITY OF CENTRAL FLORIDA

ucf-rec.org

 $\gg$ 

ucf-rec.org

>

# UCF REGIONAL EXTENSION CENTER

#### CHANGES FROM ICD-9

Injury Regrouping


• Grouped by Anatomical Site rather than Types of Injury ICD-9-CM:

Fractures (800-829) Sprains/Strains (840-848)

ICD-10-CM: Injuries to Head (S00-S09) Injuries to Neck (S10-S19)

S UNIVERSITY OF CENTRAL FLORIDA

#### UCF REGIONAL EXTENSION CENTER >CHANGES FROM ICD-9 • No V/E Codes Are now incorporated into main classifications V Codes: E Codes: Chapter 20: External causes of morbidity V, W, X, Y Codes Chapter 21: Factors influencing health status and contact with health services status and contact with health services • Z Codes Examples: Examples: 239.2 Encounter for routine postpartum follow-up 238.0 Single liveborn infant, born in hospital W21.03XA, Struck by baseball, initial encounter Y92.320, Baseball field as the place of occurrence of the external cause UNIVERSITY OF CENTRAL FLORID ucf-rec.org



# Combination Center Abustion of the Colleage of Medicine ADJOR MODIFICATIONS IN ICD-10 CM GUIDELINES Level of Detail Laterality Integral Parts of Disease Acute and Chronic Conditions Combination Code Sequela (Late Effects) Chapter-Specific Coding Guidelines

luniversity of central florida

UCF REGIONAL EXTENSION CENTER A Division of the College of Medicine
LEVEL OF DETAIL
<ul> <li>ICD-10-CM diagnosis codes are composed of 3 to 7 characters</li> </ul>
<ul> <li>When reporting diagnosis codes, report the codes at their highest number of characters available</li> <li>The 4<sup>th</sup>, 5<sup>th</sup>, 6<sup>th</sup> and 7<sup>th</sup> characters provide greater detail</li> <li>A code is <u>invalid</u> if it has not been coded to the full number of characters required for that code, including the 7<sup>th</sup> character</li> </ul>
SUNIVERSITY OF CENTRAL FLORIDA UCT-FEC.OF

ucf-rec.org

LATERALITY	$\rightarrow$
<ul> <li>Laterality specifies whether the condition occur side, <i>right</i> side, or is <i>bilateral</i></li> <li>If no bilateral code is provided, assign separa the left side and the right side</li> <li>Example: C50.511 Malignant neoplasm, lower outer of right female breast</li> </ul>	ate codes for
11/42/2015	

#### UCF REGIONAL EXTENSION CENTER ICD-10-CM GUIDELINES

#### Integral Parts of Disease

Signs and symptoms that are associated routinely with a disease process should not be assigned as additional codes

>

ucf-rec.org

- Signs and symptoms that may not be associated routinely with a disease process should be coded when present
- Examples:

- Patient with Gastroenteritis with Nausea and Vomiting
- Only code the Gastroenteritis
- Patient with Irritable Bowel Syndrome with Diarrhea, Nausea and Vomiting
   Code the Irritable Bowel Syndrome, Nausea, and Vomiting

S UNIVERSITY OF CENTRAL FLORIDA

D-10-CM GUIDELINES
<ul> <li>Chronic and Acute Conditions</li> <li>If the same condition is described as both acute and chronic, code both and sequence the acute code first</li> </ul>
2015

9

#### COMBINATION CODE

- New combination codes are a single code used to classify: • Two diagnoses
  - A diagnosis with an associated manifestation
  - A diagnosis with an associated complication
- Example:
  - K57.21 Diverticulitis of large intestine with perforation and abscess with bleeding
  - E11.341 Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema

VERSITY OF CENTRAL FLORIDA

ucf-rec.org

 $\gg$ 

ucf-rec.org

>


# SEQUELA (LATE EFFECTS)

- A Sequela is the condition produced, or the *late effect*, after the acute phase of an illness or injury has terminated. • No time limit

UCF REGIONAL EXTENSION CENTER

- Two codes required:

   • First code Originating Condition of the Sequela
- Second code The Sequela
- Example:
  - Scar after burn
     First Code: Scar (Originating Condition)
     Second Code: Burn (Sequela)



#### UCF REGIONAL EXTENSION CENTER A Diversion of the College of Headcoine HOW TO LOOK-UP GUIDELINES



- Beginning of Codebook
  - Section I. Conventions, general coding guidelines and chapter specific guidelines
  - C. Chapter-Specific Coding Guidelines
  - Chapter 1: Certain Infectious and Parasitic Diseases (A00-B99)
  - a. Human immunodeficiency virus (HIV) infections
  - 2) Selection and sequencing of HIV codes
  - (a) Patient admitted for HIV-related condition

S UNIVERSITY OF CENTRAL FLORIDA

ucf-rec.org

>

ucf-rec.org

>

#### UCF REGIONAL EXTENSION CENTER

#### CHAPTER 1: CERTAIN INFECTIOUS AND PARASITIC DISEASES

#### • Human Immunodeficiency Virus (HIV) Infections

- I.C.1.a.2.a
- If a patient is admitted for HIV-related condition, the principal diagnosis should be B20, HIV, followed by additional diagnosis codes for all reported HIV-related conditions.
- I.C.1.a.2.b
  - If a patient with HIV is admitted for a condition unrelated to HIV, the code for the unrelated condition should be the principal diagnosis. Other diagnoses would be B20 followed by additional diagnosis codes for all reported HIVrelated conditions.

S UNIVERSITY OF CENTRAL FLORIDA

#### UCF REGIONAL EXTENSION CENTER

#### CHAPTER 1: CERTAIN INFECTIOUS AND PARASITIC DISEASES

#### • Sepsis I.C.1.d.1.a

- For a sepsis diagnosis code, assign the code for the underlying systemic infection
   Severe Sepsis I.C.1.a.1.b
- Minimum of 2 codes
- First code: Underlying systemic infection
- Second code: From subcategory R65.2, Severe Sepsis
- Septic Shock I.C.1.a.2
- First code: Underlying systemic infection
- Second code: R65.21, Severe sepsis with septic shock OR
- T81.12, Postprocedural septic shock

#### S UNIVERSITY OF CENTRAL FLORIDA

ucf-rec.org

>

# Chapter 2: Neoplasms

UCF REGIONAL EXTENSION CENTER

- Treatment of Malignancy: I.C.2.a
   Malignancy is Primary Diagnosis
   Any Metastatic Sites Code Second
- Treatment of Secondary Site (Metastasis): 1.C.2.b
   Secondary Site is Primary Diagnosis
   Primary Malignancy is coded as an additional code
- Primary Malignancy Previously Excised: I.C.2.d
   Code from Category 285, Personal History of malignant neoplasm, should be used

#### S UNIVERSITY OF CENTRAL FLORIDA

UCF REGIONAL EXTENSION CENTER A Division of the College of Medicine CHAPTER 2: NEOPLASMS
<ul> <li>EXCEPTION: ANEMIA I.C.2.I.4</li> <li>When the patient is being treated <i>only</i> for Anemia associated with a Malignancy, the Malignancy is sequenced as the <u>Principal Diagnosis</u> followed by code <i>D63.0, Anemia in neoplastic disease</i></li> </ul>
11/1/2015 28 28 UNIVERSITY OF CENTRAL FLORIDA 10-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-

 $\triangleright$ 

ucf-rec.org

#### UCF REGIONAL EXTENSION CENTER

#### CHAPTER 9: DISEASES OF THE CIRCULATORY SYSTEM

Acute Myocardial Infarction (AMI)

#### • Subsequent AMI: I.C.9.e.4

A code from category 122 is to be used when a patient who has suffered an AMI has a new AMI within the 4 week time frame of the initial AMI. A code from category I22 must be used in conjunction with a code from category I21. The sequencing of the I22 and I21 code depends on the circumstances of the encounter.

 $\gg$ 

ucf-rec.org

>

ucf-rec.org

VERSITY OF CENTRAL FLORIDA

UCF REGIONAL EXTENSION CENTER

## CHAPTER 12: DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE Pressure Ulcer Codes: • I.C.12.a.1 Single combination codes that identify: Site Laterality Stage (1-4, Unspecified, Un-stagable)

- Assign as many codes as needed to identify all the pressure ulcers if more than one
- I.C.12.a.6
  - · Assign the code for the highest state reported for each site

S UNIVERSITY OF CENTRAL FLORIDA


#### UCF REGIONAL EXTENSION CENTER

#### CHAPTER 15: PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM

- I.C.15.a.2: Chapter 15 codes Only Used on the Mothers Record
- I.C.15.a.3: Final Character in Code added for Trimester
- I.C.15.a.4: Selection of trimester for inpatient admissions that encompass more than one trimesters
  - Code Trimester for when Condition Began if it overlaps into a subsequent Trimester

ucf-rec.org

>



UCF REGIONAL EXTENSION CENTER
ADditional difference
CHAPTER 18: SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND
LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED

I.C.18.a: Codes that describe signs and symptoms are acceptable
when a definitive diagnosis has not been established by the provider

I.C.18.b: When symptoms are not routinely found with the final
diagnosis, code:
First Code, Definitive Diagnosis
Second Code, Symptom


 Signs or symptoms that are routinely found with a disease process should not be assigned as additional codes


🧽 UNIVERSITY OF CENTRAL FLORIDA

UCF REGIONAL EXTENSION CENTER A Division of the College of Medicine
CHAPTER 19: INJURY, POISONING, AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES
I.C.19.d.1: Burns (From Heat Source) vs. Corrosions (Due to Chemicals)
Burns are classified by Depth:
<ul> <li>1<sup>st</sup> Degree – Erythema</li> </ul>
<ul> <li>2<sup>nd</sup> Degree – Blistering</li> </ul>
<ul> <li>3<sup>rd</sup> Degree – Full-Thickness Involvement</li> </ul>
<ul> <li>Sequence the code that reflects the highest degree of burn when</li> </ul>
more than one burn is present first
11/18/2015 42
S UNIVERSITY OF CENTRAL FLORIDA ucf-rec.org

ucf-rec.org

# <page-header><text><section-header><section-header><section-header><section-header><text>





# UCF REGIONAL EXTENSION CENTER >3. True or false? When a *Excludes2* notes appears under a code, it is acceptable to use both the code and the excluded code together. a. True b. False ucf-rec.org UNIVERSITY OF CENTRAL FLORI


### UCF REGIONAL EXTENSION CENTER

4. The first character of an ICD-10-CM code is:

>

ucf-rec.org

- a. Always a number
- b. Always a letterc. Can be either a number or letter
- d. None of the above



SUMMARY	$\rightarrow$
<ul> <li>There are many new changes in ICD-10 new guidelines will be imperative to the October 1, 2015.</li> </ul>	
<ul> <li>Focus on Specific Guidelines that are u line of work.</li> </ul>	sed in your practice or
Training is Critical to Prepare Staff for Cl	nange!

#### VERSITY OF CENTRAL FLORIDA

ucf-rec.o

